

Technical data Stop Racine™

Root protection nonwoven

Product	Stop Racine™			
----------------	---------------------	--	--	--

Characteristic properties

Structure and form	Needle-punched and thermally treated nonwoven, 100% polypropylene			
--------------------	---	--	--	--

Mechanical properties

				Norm	
Weight		g/m ²	325	nom	EN ISO 9864
Elongation	longitudinal	%	64	nom	EN ISO 10319
	transversal	%	50	nom	
Tensile strength	longitudinal	kN/m	22	nom	EN ISO 10319
	transversal	kN/m	22	nom	
Static puncture resistance	CBR	kN	3.5	nom	EN ISO 12236

Composition


Surface resistance of coated side		µm	45	nom	ISO 4288
Stiffness / elastic modulus	longitudinal	N/mm	76	nom	DIN EN ISO 527-1
	transversal	N/mm	77	nom	

Delivery form

Length		m	50		
Width		m	1.00 1.50		
Area		m ²	50 75		

Function / application

Fonction prévue



min = minimum values | max = maximum values | nom = nominal values

The values given are average obtained according to internal and external testing. We reserve the right to make changes at any time in accordance with our Knowledge, technology and experiences without any notice.